HARDCASE PROFESSIONAL® Magnetic Headlamp

HCHDM321

The Energizer. HARDCASE PROFESSIONAL. Magnet Headlamp is designed with tool quality construction and advanced LED technology to meet the most demanding job needs. Constructed with professionals in mind, it withstands drop after drop, off a ladder or a two story building. Built to give users freedom to use both hands, this headlamp provides maximum versatility. Choose the comfort and convenience of a headlamp or detach and use the handy magnet to instantly mount the unit wherever light is needed. Either solution provides an impressively bright, durable companion for the job.



Provides 250 Lumens of Light



Provides Run Time of 3h 30m



Sustains 7 Meter Drop Test



Illuminates objects up to 60m away



Water Resistant IPX4 - works after splashing water on all sides

DESIGN BENEFITS

- ✓ Hands-free design
- ✓ Exceptionally durable
- ✓ Water resistant design is ideal in extreme conditions
- ✓ Easily detaches to mount with magnet
- ✓ Pivoting head
- ✓ 20 Year Designed to Last based on typical consumer usage patterns

LIGHT AND POWER SOURCE

- √ Features LED Technology
- ✓ Operates on 3 AAA batteries

ELECTRICAL CHARACTERISTICS

Electrical Characteristics Nominal Power: Power consumption 2.13W / Batteries AAA Energizer E92 4.5V dc

LED Specifications: LED 3.0V cc / 710 mA

CERTIFICATES AND COMPLIANCE



EMC, EN62471, FCC



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Tested according to ANSI/NEMA FL1 Standards

Results based on: Energizer, MAX, Alkaline / E92

PERFORMANCE BENEFITS

- ✓ Up to 5X brighter than standard LED technology
- ✓ Choose between spot and flood light settings

SPECIFICATIONS

Weight Excluding Batteries:

100 Grams / 3.5 Ounces

Dimensions:

64mm x 45mm x 36mm / 2.5" x 1.75" x 1.4"

NUMBER OF OPERATING MODES: 2

Mode	Lumens (Im)	Runtime (h)	Beam Distance (m)
High - Alkaline	250	3h 30min	60
Low - Alkaline	70	17	30