

SAFETY DATA SHEET

1. Identification					
Product identifier	HP Color LaserJet CB542A Yellow Print Cartridge				
Other means of identification	None.				
Recommended use	This product is a yellow toner preparation that is used in HP Color LaserJet CP1500, CM1300, and CP1200 series printers.				
Recommended restrictions	None known.				
Manufacturer/Importer/Supplier	/Distributor information				
	HP Inc.				
	1501 Page Mill Road				
	Palo Alto, CA 94304-1112				
	United States				
Telephone	650-857-5020				
HP Inc. health effects line					
(Toll-free within the US)	1-800-457-4209				
(Direct)	1-760-710-0048				
HP Inc. Customer Care Line					
(Toll-free within the US)	1-800-474-6836				
(Direct)	1-208-323-2551				
Email:	hpcustomer.inquiries@hp.com				
2. Hazard(s) identification	1				
Physical hazards	Not classified.				
Health hazards	Not classified.				
Environmental hazards	Not classified.				
OSHA defined hazards	Not classified.				
Label elements					
Hazard symbol	None.				
Signal word	None.				
Hazard statement	Not available.				
Precautionary statement					
Prevention	Not available.				
Response	Not available.				
Storage	Not available.				
Disposal	Not available.				
Hazard(s) not otherwise classified (HNOC)	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.				
Supplemental information	This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).				

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Styrene acrylate copolymer		Trade Secret	<85
Wax	Wax	Trade Secret	<10
Pigment	Pigment	Trade Secret	<5
Amorphous silica	Amorphous silica	7631-86-9	<3

Chemical name	Common name and synonyms	CAS number	%
Titanium dioxide		13463-67-7	<1
4. First-aid measures			
Inhalation	Move person to fresh air immediately. If irrita	tion persists, consult a physici	an.
Skin contact	Wash affected areas thoroughly with mild so develops or persists.	ap and water. Get medical atte	ention if irritation
Eye contact	Do not rub eyes. Immediately flush with large least 15 minutes or until particles are remove		
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.		
Most important symptoms/effects, acute and delayed	Not available.		
5. Fire-fighting measures			
Suitable extinguishing media	CO2, water, or dry chemical		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	Like most organic material in powder form, to dispersed in air.	oner can form explosive dust-a	ir mixtures when finely
Special protective equipment and precautions for firefighters	Not available.		
Fire fighting equipment/instructions	If fire occurs in the printer, treat as an electric	cal fire.	
Specific methods	None established.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Minimize dust generation and accumulation.		
Methods and materials for containment and cleaning up	Slowly vacuum or sweep the material into a k damp cloth or vacuum cleaner. If a vacuum is explosion-proof. Fine powder can form explo federal, state, and local regulations.	s used, the motor must be rate	ed as dust
Environmental precautions	Do not flush into surface water or sanitary se considerations.	wer system. See also section	13 Disposal
7. Handling and storage			
Precautions for safe handling	Keep out of the reach of children. Avoid inhat adequate ventilation. Keep away from excess		
Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightl away from strong oxidizers.	y closed and dry. Store at room	n temperature. Store
8. Exposure controls/pers	onal protection		
Occupational exposure limits	This mixture has no ingredients that have PE	EL, TLV, or other recommende	d exposure limit.
	or Air Contaminants (29 CFR 1910.1000) Type	Value Fo	orm

Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	

Biological limit values Exposure guidelines	No biological exposure limits noted for the ingredient(s). USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)	
	ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)	
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3	
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)	
Appropriate engineering controls	Use in a well ventilated area.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection	Not available.	
Skin protection		
Hand protection	Not available.	
Other	Not available.	
Respiratory protection	Not available.	
Thermal hazards	Not available.	
9. Physical and chemical properties		
Appearance	Fine powder	
Physical state	Solid.	
Form	solid	

Form	solid
Color	Yellow
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available.
Viscosity	Not applicable
Other information	
Oxidizing properties	No information available.
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)

Specific gravity

1 - 1.2

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable under normal storage conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Imaging Drum: Exposure to light
Incompatible materials	Strong oxidizers
Hazardous decomposition products	Carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.
Information on toxicological effe	cts
Acute toxicity	Based on available data, the classification criteria are not met.
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Not regulated.	
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Further information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological information

Ecotoxicity	LC50: > 100 n	ng/l, Fish, 96.00 Hours	
Product		Species	Test Results
CB542A			
Aquatic			
Fish	LC50	Fish	> 100 mg/l, 96 Hours
Persistence and degradability	Not available.		

Bioaccumulative potential	Not available.		
Mobility in soil	Not available.		
Other adverse effects	Not available.		
13. Disposal consideratio	ns		
Disposal instructions Do not shred toner cartridge, unless dust-explosion prevention measures are taken. F dispersed particles may form explosive mixtures in air. Dispose of in compliance with state, and local regulations.			
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.		
14. Transport information			
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.		
15. Regulatory informatio	n		
US federal regulations	US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.		
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)		
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)		
Not listed. SARA 304 Emergency relea	se notification		
Not regulated. OSHA Specifically Regulate Not regulated.	d Substances (29 CFR 1910.1001-1050)		
C C	authorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard			
Not listed.			
SARA 311/312 Hazardous chemical	No		
Other federal regulations			
	112 Hazardous Air Pollutants (HAPs) List		
	112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
US - California Proposition	65 - CRT: Listed date/Carcinogenic substance		
	RBORNE, UNBOUND Listed: September 2, 2011 ABLE SIZE) (CAS 13463-67-7)		
Titanium dioxide (CAS 13	3463-67-7)		
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
16. Other information, inc	luding date of preparation or last revision		
Issue date	16-Apr-2015		
Revision date	23-Oct-2018		

Version # Other information	05 This SDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.
Revision information	1. Product and Company Identification: Product and Company Identification Fire-fighting measures: Specific hazards arising from the chemical Accidental release measures: Methods and materials for containment and cleaning up Toxicological information: Eye contact Toxicological information: Ingestion Toxicological information: Inhalation Toxicological information: Skin contact Other information, including date of preparation or last revision: Disclaimer

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds